

SAFTY DATA SHEET



according to Regulation (EC) No. 453/210

EOX® FLOORSHINE

Product-Code: **2204**

Version 2021.2 Revision Date 14.10.2021

GENERIC EU MSDS – NO COUNTRY SPECIFIC DATA – NO OEL DATA

SECTION 1: Identifikation of the substance/mixture and of the company/undertaking

1.1 Product identifier

Produc-Code	2204
Product name	EOX® FLOORSHINE
Trade names	EOX® FLOORSHINE
Relevant identified uses	Special intensive cleaner for floors
Relevant identified uses of the substance or mixture and dissuade use:	
Relevant identified uses	Special intensive cleaner

1.2 Details of the supplier of the safety data sheet

eOx Deutschland	Tel.:+49 (0)2261 910 9125
Wolfgang Müller	Fax:+49 (0)2261 910 9111
Dr.-Ottmar-Kohler-Str. 3	E-Mail: info@eox-deutschland.de
51643 Gummersbach	
Deutschland	www.eox-deutschland.de

1.3 Emergency telephone number

Nederland:
Nationaal Vergiftigingen Informatie
Centrum
Bilthoven Tel.:+31(0)30/274.88.88
(Restricted to professional rescuers to check with acute poisoning)

Belgien:
Antigifcentrum Tel.:013 67 06 70
(Restricted to professional rescuers to check with acute poisoning)

SECTION 2: Identification of the risks

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Causes serious eye damage DANGER Eye dam 1 H318

2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS05



Signal word (CLP)

Danger

Hazard statements (CLP)

H318

Causes serious eye damage

Precautionary statements (CLP)

P280

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection

P302 + P352

IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+313

If eye irritation persists get medical advice/attention

P362

Take off contaminated clothing.

2.3 Other hazards

PBT : This substance is not identified as a PBT substance.

SECTION 3: Composition/information on ingredients

3.1 Substances Mixture

Ingredient:	Gew. %	Information:	
Sodium hydroxide, solution	< 0,5%	CAS Nr.	1310-73-2
		EINECS	215-185-5
		EG-annex-Nr.	011-002-00-6
		REACH Reg. Nr.	01-2119457892-27
		CLP-Klassifikation	Met. Corr. 1;H290; Skin. Corr. 1A;H314
		Symbol	GHS05
		H-Sätze	H290; H314
Detergent C9-11 ethoxylate	< 5%	CAS Nr.	68439-46-3
		EINECS	Polymer
		EG-annex-Nr.	*
		REACH Reg. Nr.	*
		CLP-Klassifikation	Eye. Dam. Cat 1
		Symbol	GHS05
		H-Sätze	H318
2-butoxyethanol	≤ 5%	CAS Nr.	112-34-5
		EINECS	203-961-6
		EG-annex-Nr.	603-096-00-8
		REACH Reg. Nr.	01-21194751044-44
		CLP-Klassifikation	Eye. Irrit. Cat 2
		Symbol	GHS07
		H-Sätze	H319

Ingredient:	Gew. %	Information:	
C8 Alkylglucosid	≤ 2%	CAS Nr.	414-420-0
		EINECS	N/A
		EG-annex-Nr.	N/A
		REACH Reg. Nr.	01-0000016147-72-0001
		CLP-Klassifikation	Eye Dam. Cat. 1
		Symbol	GHS07
		H-Sätze	H318
Fragrances	≤ 1%		

SECTION 4: First aid measures

Contact with the eyes	Look for the presence of contact lenses and remove them. Rinse the eyes with opened eyelid long enough (minimum 15 minutes) with lukewarm water if possible. If irritation persists consult a (eye-) doctor. (Keep on rinsing if possible)
Contact with the skin	In case of contact wash with water and soap. With large quantities remove contaminated clothing, rinse skin with plenty of water or shower. Wash garment before using again.
Ingestion	Rinse mouth with water and give two glasses of water to drink. (Never give an unconscious to drink because of risk of choking) Loosen tight fitting clothes, such as shirt, collar, necktie or belt. If large quantities are swallowed consult a doctor immediately.
Inhaling aerosol or vapour in high concentrations	Bring person in fresh air, keep warm and relaxed. In case of lasting irritation consult a doctor.

SECTION 5: Firefighting measures

Suitable extinguishing media	Product is not flammable, all extinguishing media allowed like a.o. CO ₂ , foam, extinguishing powder, water spray or water spray at larger fires also Jet.
Unusual fire/explosion hazards	Not classified as flammable. In a fire, toxic and corrosive fumes can release.
Protection of fire fighters	In the immediate vicinity of the fire use a self-contained breathing device.




SECTION 6: Accidental release measures

Personal precautions	Monitor wearing appropriate personal protective equipment during the cleanup of a spill or release of the liquid in large quantities. Safety glasses against splashes, boots, protective clothing and gloves.
Environmental precautions	Avoid release into sewers or drain on surface water or souterrains.
Cleaning Methods	Stop leak if safe to do so. Absorb with dry soil, sand or other non-flammable material. Collect the waste product in suitable containers for waste disposal.

SECTION 7: Handling and storage

Handling	The usual precautionary measures when handling chemicals should be respected. Care for an eye wash and safety shower nearby.
Storage	Keep closed packages in a cool and well-ventilated place. Store frost free.
Storage together with other substances	Keep separate from acids

SECTION 8: Exposure controls/personal protection

Technical measures	Make sure eye washes and safety showers are near the work place
Exposure limit value	No applicable exposure limits were determined
Occupational Hygiene	When you are working do not eat, drink or smoke. Wear personal protective equipment.
Mouth-nose protection	Required on not enough ventilated work areas
Skin and body	Wear suitable protective clothing (overall, preferably thick cotton or disposable protective clothing), gloves and eye/face protection. Chemical-resistant shoes. Take off immediately all contaminated clothing. Store working clothes separate.
 Hands	Neoprene or PVA is recommended. Wash your hands at the end of work and before work breaks. In case of repeated or long-term use do not wear thin disposable gloves
 Eyes	Wear full face shield if splashing is possible. Safety glasses and face shield. Use an eye shower and/or rinse your eye
	

SECTION 9: Physical and chemical properties

Apperance	
Physical state	Liquid
Colour	Blue/ brown
Odour	Not available
Odour threshold	Not available
pH	Ca. 8 (Conc. (% w/w) 20 g/l 20
Melting point / freezing point	0°C
Initial boiling point and boiling range	Not available
Flash point	[Product does not sustain combustion.]
Evaporation rate	Not available
Upper/lower flammability or explosive limits	Not available
Flammability (solid, gas)	Not available
Vapour pressure	Not available
Relative density	+/- 1.03 g/cm ³ with 25°
Vapour density	Not available
Solubility(ies)	Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Viscosity, kinematic	Not available
Viscosity, dynamic	Not available
Explosive properties	Not available
Decomposition temperature	Not available
Oxidising properties	Not available

SECTION 10: Stability and reactivity

Stability	Stable
Conditions to avoid	Keep frost-free
Storage together with other substances	Keep separated from acids
Hazardous decomposition products	Not likely at recommended storage and normal industrial use.

SECTION 11: Toxicological information

11.1 Acute toxicity:

LD50 (oral, rat) Not determined

The following reviews of health hazards is based on an assessment of the different components of the product

Effects on the eyes	Product can be corrosive to the eyes. Symptoms: redness, pain, poor vision
Effect on the skin	Product can be corrosive to the skin. Symptoms: redness, pain
Inhalation	The product may cause irritation to the respiratory organs Symptoms: Coughing, shortness of breath, sore throat
Ingestion	The product may cause irritation to the respiratory organs Symptoms: Coughing, shortness of breath, sore throat
Chronic toxicity	With repeated and intensive skin contact chance on skin disorders

SECTION 12: Ecological information

Eco toxicity	No other relevant information available
Mobility	No data
Persistence and degradability	The product is for > 90% biodegradable.
Bio accumulative potential	No data
Other harmful data	Do not let product come on the surface water undiluted.

SECTION 13: Disposal considerations

Waste	Dispose waste and empty packaging in accordance with statutory requirements through an approved disposal.
Eural code for waste processing	For this product a waste code number in accordance with the European waste catalogue cannot be granted, since only the intended user makes classification possible. The waste code number should be assigned in consultation with the local disposal.
Empty packaging	Removal as waste according to local and national prescriptions

SECTION 14: Transport information

14.1 Classification as ADR material for road transport

UN-Nummer	None
Proper shipping name	No dangerous goods
ADR class	
Packing Group	
ADR label	
Hazards Identification	

14.2 Classification as ICAO/IATA material for air transport

UN-Nummer	None
Proper shipping name	No dangerous goods
IATA Class	
Packing Group	
ICA/IATA label	
Hazards Identification	

14.3 Classification as INDG material for sea transport

UN-Nummer	None
Proper shipping name	No dangerous goods
ADR class	
Packing Group	
ADR label	
Hazards Identification	
EmS: Marine pollutant	

SECTION 15: Regulatory information

15.1 WGK Class

15.2 1: slightly hazardous for water **Chemical Safety**

No data.

15.3 regulatory lists searched: No additional information available

01=EU. Directive 76/769/EEC: Restrictions on the marketing and use of certain dangerous substances.

02=EU. Directive 90/394/EEC: Carcinogens at work.

03=EU. Directive 92/85/EEC: Pregnant or breastfeeding workers

04= EU. Directive 96/82/EC (Seveso II) : Article 9

05= EU. Directive 96/82/EC (Seveso II) : Articles 6 and 7

06= EU. Directive 98/24/EC : Chemical agents at work

07= EU. Directive 2004/37/EC : On the protection of workers.

08= EU. Regulation EC No. 689/2008 : Annex 1, Part 1.

09= EU. Regulation EC No. 689/2008 : Annex 1, Part 2.

10= EU. Regulation EC No. 689/2008 : Annex 1, Part 3.

11= EU. Regulation EC No. 850/2004 : Prohibiting and restricting persistent organic pollutants (POPs).

12= EU. REACH, Annex XVII: Restrictions on manufacture, placing on the market and use of certain dangerous Substances, mixture & article.

13= EU. REACH, Annex XIV: Candidate List of Substances of Very High Concern for Authorization (SVHC).

SECTION 16: Other information

16.1 List of relevant R- and H- phrases from section 2 and 3

H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage.
H319	Causes severe eye irritation

16.2 Abbreviations used in this document:

Abk.	Beschreibung der verwendeten Abkürzungen
Nr.	Number
CAS	Chemical Abstracts Service
EINECS	European Inventory of Existing Commercial chemical Substances
WGK	Water Danger Class
ADR	Accord europeen relative au transport international des marchandises Dangereuses par Route
TLV	Treshold Limit Value
PTB	Persistent, toxisch, bioaccumulerend
CLP	Classification, Labeling and Packaging of chemicals

16.3 Information Sources:

This information is based on the current available data (producers of raw materials, Chemistry maps, ... All information contained in this safety data sheet is to the best of our knowledge and in accordance with the latest knowledge and understanding. Our company cannot guarantee that the information in the safety data sheet is completely accurate and complete. The provision of this safety data sheet from liability to the user of this product may not be able to assess the safety, health and environmental advice for their particular situation and application. It is an obligation for the user to use this product with care and the applicable legal provisions. The information in the safety data sheet shall be held by us in good faith and to our best knowledge and belief. Explicit or implicit guarantee is not given.

Safety data sheet in accordance with Regulation (EU) nr. 453/2010 of the European Parliament and of the Council of 18 December 2006 on the assessment and authorization and restriction of chemicals (REACH)